- Windows

	100	300
2G-4G CPU 50-100G	8G-16G CPU 300G	32 CPU 500G

50G

Windows Server 2008 64
Win7Win8Win8.1Win10 64

Google ChromeFirefoxEdgeIE10HTML5
IE


Windows

1.

https://pan.macochart.com/s/tKGEyGnaFd3BGDi

https://pan.macochart.com/s/czFdonTFoo4JNXi

2. d:\macoDmacoD



3.

D:\maco\tomcat8\conf\server.xml

```
    <!-- A "Connector" represents an endpoint by which requests are received
         and responses are returned. Documentation at :
         Java HTTP Connector: /docs/config/http.html (blocking & non-blocking)
         Java AJP  Connector: /docs/config/ajp.html
         APR (HTTP/AJP) Connector: /docs/apr.html
         Define a non-SSL HTTP/1.1 Connector on port 8080
    -->
    <Connector port="8080" protocol="HTTP/1.1"
               connectionTimeout="20000"
               maxPostSize="2000000"
               maxHttpHeaderSize="200000"
               redirectPort="8443" />
    <!-- A "Connector" using the shared thread pool-->
    <!--
    <Connector executor="tomcatThreadPool"
               port="8080" protocol="HTTP/1.1"
               connectionTimeout="20000"
               redirectPort="8443" />
    -->
    <!-- Define a SSL HTTP/1.1 Connector on port 8443
         This connector uses the NIO implementation that requires the JSSE
         style configuration. When using the APR/native implementation, the
         OpenSSL style configuration is required as described in the APR/native
```

4. bin
5. : install
6. run 30
7. http://127.0.0.1:
8.



1. admin/password
2. ->


iReport 365
App
系统管理员
管理菜单
我的报表
我的文档
数据连接
数据集
角色管理
数据权限
子账号
微信公众号
报表商店
+ 目录
+ 创建报表
导入
导出
查找报表
默认目录
客户案例
案例
我的信息
修改密码
平台管理
退出登录
医疗行业管理报表
27天前 2浏览


iReport 365
系统管理员
管理菜单
用户管理
报表管理
用户日志
应用授权
系统设置
安全设置
许可证
系统设置
保存设置
平台名称
iReport365企业移动报表平台
平台地址
https://enterprise.ireport365.com
平台Logo
选择Logo图片
平台支持邮箱
support@ireport365.com
自动备份
关闭

/